

# A century of fish biomass decline in the ocean

Villy Christensen<sup>1,\*</sup>, Marta Coll<sup>2,3</sup>, Chiara Piroddi<sup>4</sup>, Jeroen Steenbeek<sup>3</sup>, Joe Buszowski<sup>3</sup>, Daniel Pauly<sup>1</sup>

<sup>1</sup>Fisheries Centre, University of British Columbia, 2202 Main Mall, Vancouver, BC V6T 1Z4, Canada

<sup>2</sup>Institut de Recherche pour le Développement, UMR EME 212, Centre de Recherche Halieutique Méditerranéenne et Tropicale, Avenue Jean Monnet, BP 171, 34203 Sète Cedex, France, and Institute of Marine Science, ICM-CSIC, Passeig Maròtim de la Barceloneta, 37-49, Barcelona 08003, Spain

<sup>3</sup>Ecopath International Initiative Research Association, Barcelona, Spain

<sup>4</sup>European Commission - DG JRC, Institute for Environment and Sustainability, Water Resources Unit, Via E. Fermi, 2749 - TP 272, 21027 Ispra, VA, Italy

\*Corresponding author: v.christensen@fisheries.ubc.ca

*Marine Ecology Progress Series 512: 155–166 (2014)*

---

## Supplement. List of models used for the analysis

Many of the models listed below are available through [www.ecopath.org](http://www.ecopath.org). For others, please contact the authors directly

	Name models	Year	Groups	References
1	Aegean Sea	2003	40	(1)
2	Albatross Bay Australia	1986	99	(2)
3	Aleutians Islands	1963	40	(3)
4	Antarctic Peninsula	1990	39	(4)
5	Antarctic Peninsula	1950	61	(5)
6	Antarctic Sea	1990	28	(6)
7	Antarctica, Kerguelen Island	1987	23	(7)
8	Aranci Bay	2006	15	(8)
9	Bahia Ascencion, Mexico	1990	19	(9)
10	Bali Strait	1990	14	(10)
11	Baltic Sea	1974	16	(11)
12	Barents Sea	1990	41	(12)
13	Barents Sea	1995	41	(12)
14	Bay of Bengal	1974	15	(13)
15	Baja California, Mexico	1972	18	(14)
16	Beibu Gulf, northern South China Sea	1997	16	(15)
17	Beibu Gulf, northern South China Sea	1999	20	(16)
18	Benin, West Africa	2005	13	(17)
19	Black Sea	1960	15	(18)
20	Black Sea	1990	16	(19)
21	Bohai Sea	1982	13	(20)
22	Bolinao	1980	26	(21)
23	British Columbia shelf	1950	53	(22)
24	Brunei	1989	13	(23)
25	Campeche, Mexico	1980	19	(24)

	<b>Name models</b>	<b>Year</b>	<b>Groups</b>	<b>References</b>
26	Canada, Eastern Scotian Shelf	1980s	39	(25)
27	Canada, Eastern Scotian Shelf	1990s	39	(25)
28	Canada, Grand Banks of Newfoundland	1980s	31	(26)
29	Cantabrian Sea	1994	28	(27)
30	Cape Verde	1981	31	(28)
31	Caribbean Islands	1980	29	(29)
32	Central Atlantic Ocean	1950s	38	(30)
33	Central Atlantic Ocean	1990s	38	(30)
34	Central Chile	1992	21	(31)
35	Central Chile	1998	21	(31)
36	Central Gulf of California	1978	27	(32)
37	Central Pacific Ocean	1990	22	(33)
38	Central Pacific Ocean	1994	26	(34)
39	Chesapeake Bay	1950	45	(35)
40	Colombia	1995	27	(36)
41	Congo	2005	29	(37)
42	Coral Reef Mexican Caribbean	1980	18	(38)
43	East Bering Sea	1979	36	(39)
44	East Brazil	1970	41	(40)
45	East China Sea	1997	45	(41)
46	East China Sea	1999	38	(42)
47	Eastern tropic Pacific Ocean	1993	39	(43)
48	English Channel	1973	45	(44)
49	English Channel	1995	50	(44)
50	Eritrea	1998	19	(45)
51	Falkland Islands	1990	44	(46)
52	Faroe Islands, Denmark	1961	20	(47)
53	Faroe Islands, Denmark	1997	20	(48)
54	Tampa Bay	1950	52	(49)
55	France, Bay of Biscay	1970	37	(50)
56	France, Bay of Biscay	1998	37	(50)
57	French Frigate Shoal	1980	16	(51)
58	Gabon	2005	11	(52)
59	Gambia	1986	23	(53)
60	Gambia	1992	23	(54)
61	Gambia	1995	23	(54)
62	Germany, Schlei Fjord, Schlei Fjord	1980	10	(55)
63	Ghana	2005	13	(56)
64	Golfo Dulce, Costa Rica	1970	21	(57)
65	Grand Banks of Newfoundland	1900s	50	(58)
66	Grand Banks of Newfoundland	1980s	50	(58)
67	Grand Banks of Newfoundland	1990s	50	(58)
68	Great Barrier Reef, Australia	1990	24	(59)
69	Great Barrier Reef, Australia	1980	25	(60)
70	Greenland, West Coast	1997	22	(61)
71	Grenada	1990	51	(62)
72	Guinea	1985	35	(63)
73	Guinea	2004	35	(63)
74	Guinea	1998	44	(64)
75	GuineaBissau	1991	32	(65)
76	Gulf of California (central)	1980	18	(66)

	<b>Name models</b>	<b>Year</b>	<b>Groups</b>	<b>References</b>
77	Gulf of California (central)	2002	18	(66)
78	Gulf of Carpentaria, Australia	1990	83	(67)
79	Gulf of Maine	1977	29	(68)
80	Gulf of Maine	1980	24	(69)
81	Gulf of Maine	1990	24	(69)
82	Gulf of Mexico	1970	15	(70)
83	Gulf of Nicoya, Costa Rica	1993	21	(71)
84	Gulf of Riga	1990	12	(72)
85	Gulf of Salamanca	1997	18	(73)
86	Gulf of St. Lawrence	1985	32	(74)
87	Gulf of St. Lawrence	1990	32	(74)
88	Gulf of Thailand	1963	29	(75)
89	Gulf of Thailand	1973	40	(76)
90	Hawaii	1990	16	(77)
91	Hudson Bay, Arctic Sea	1970	40	(5)
92	Iceland	1997	24	(78)
93	Icelandic shelf	1997	21	(79)
94	Ionian Sea	1964	19	(80)
95	Ionian Sea	2007	19	(81)
96	Irish Sea	1973	53	(82)
97	Jurien Bay Marine Park, Australia	2005	80	(83)
98	Kaloko, Honolulu	2005	26	(84)
99	Kuala Malaysia	1984	14	(85)
100	Kuosheng Bay	1998	17	(86)
101	La Paz Bay, Gulf of California	1992	22	(87)
102	La Paz Bay, Gulf of California	1990	32	(88)
103	Lesser Antilles	2001	31	(89)
104	Liberia	2005	14	(90)
105	Lingayen Gulf, Philippines	1990	17	(91)
106	Lithuanian Coast	1990	12	(72)
107	FAO Area 51	1950	44	(92)
108	Malaysia	1991	15	(93)
109	Mauretania Bank Arguin	1988	22	(94)
110	Mauritania EEZ	1987	38	(95)
111	Mauritania EEZ	1998	38	(95)
112	Miramare	1990	19	(96)
113	Moorea	1990	43	(97)
114	Morocco	1984	38	(98)
115	Nanwan Bay, Taiwan	2001	18	(99)
116	Nigeria	2005	15	(100)
117	Ningaloo, Australia	2007	53	(101)
118	North California	1993	29	(102)
119	North coast of central Java	1979	27	(103)
120	North east Pacific Ocean	1950	56	(22)
121	North Sea	1880	46	(104)
122	North Sea	1974	32	(105)
123	North Sea	1981	29	(106)
124	North Sea	1991	68	(107)
125	North west Africa	1986	27	(108)
126	North West Shelf Australia	1986	37	(109)
127	Northern and Central Adriatic	1975	40	(110)

	<b>Name models</b>	<b>Year</b>	<b>Groups</b>	<b>References</b>
128	Northern and Central Adriatic	1990	40	(111)
129	Northern Benguela	1900	26	(112)
130	Northern Benguela	1950	32	(113)
131	Northern Benguela	1967	26	(112)
132	Northern Benguela	1990	26	(112)
133	Northern British Columbia	1950	53	(114)
134	Northern British Columbia	2000	53	(114)
135	Northern Gulf of California	1990	34	(115)
136	Northern Gulf of St. Lawrence	1980	32	(116)
137	Northern Humboldt Current, Peru	1995	33	(117)
138	Northern Humboldt Current, Peru	1997	33	(117)
139	Northern South China Sea	1970	38	(118)
140	Norwegian and Barent Sea	1997	30	(119)
141	Oregon coast	2000	54	(120)
142	Parnu Bay	1990	12	(72)
143	Peru	1950	20	(121)
144	Peru	1953	28	(122)
145	Peru	1960	20	(121)
146	Peru	1973	20	(121)
147	Philippines, San Miguel Bay	1992	19	(123)
148	Port Phillip Bay, Australia	1994	34	(124)
149	Portugal, Azores	1997	44	(125)
150	Puck Bay	1990	12	(72)
151	San Pedro Bay, Leyte	1994	16	(126)
152	San Sebastian Channel	1980	20	(127)
153	São Tomé, São Tomé and Príncipe	2005	16	(128)
154	Senegambia	1986	18	(129)
155	Sierra Leone	2005	12	(130)
156	Sierra Leone	1964	44	(131)
157	Sierra Leone	1978	44	(131)
158	Sierra Leone	1990	44	(131)
159	Sonda de Campeche	1990	19	(132)
160	Sørjord and Ullsfjord, Norway	1993	25	(133)
161	South Atlantic Continental Shelf	1995	42	(134)
162	South Brazil	1998	33	(135)
163	South Catalan Sea	1978	40	(136)
164	South Catalan Sea	1994	40	(137)
165	South China Sea	1980	13	(138)
166	South east Alaska	1963	40	(139)
167	South East Australia	1994	59	(140)
168	South west Vietnam	1994	15	(141)
169	Southern British Columbia shelf	1996	27	(142)
170	Southern Benguela	1900	32	(143)
171	Southern Benguela	1960	32	(143)
172	Southern Benguela	1978	32	(144)
173	Southern Benguela	2000	32	(143)
174	Southern Brazil	1980	13	(145)
175	Southern Corsica	2000	32	(146)
176	Southern Gulf of St. Lawrence	1980s	30	(74)
177	Southwest coast of India	1995	11	(147)
178	Sri Lanka	2000	39	(148)

	Name models	Year	Groups	References
179	Strait of Georgia	1950	27	(149)
180	Strait of Georgia	1950	55	(22)
181	Subantartic plateau New Zealand	1990	18	(150)
182	Tapong Bay, Taiwan	2000	18	(151)
183	Te Tapuwae o Rongokako, New Zealand	2000	22	(152)
184	Togo	2005	16	(153)
185	Tongoy bay, Chile	1980	17	(154)
186	Prince William Sound, Alaska	1994	51	(155)
187	Prince William Sound, Alaska	1980	19	(156)
188	Mid Atlantic Bight	1995	55	(157)
189	West Florida Shelf	1990	59	(158)
190	Uvea Atoll (New Caledonia)	1991	24	(159)
191	Venezuela	1988	16	(160)
192	West coast of Peninsula Malaysia	1972	15	(141)
193	West coast of Sabah	1972	29	(161)
194	West coast of Sarawak	1972	29	(161)
195	West coast Scotland	1974	34	(162)
196	West coast of Vancouver	1950	15	(163)
197	West Gulf of Mexico	1970	24	(164)
198	Western Bering Sea	1979	34	(39)
199	Western English Chanel	1993	52	(165)
200	Western Tropical Pacific Ocean	1990	20	(166)

1. Tsagarakis K, Coll M, Giannoulaki M, Somarakis S, Papaconstantinou C, Machias A (2010) Food-web traits of the North Aegean Sea ecosystem (Eastern Mediterranean) and comparison with other Mediterranean ecosystems. *Estuar Coast Shelf Sci* 88:233–248
2. Okey T (2006) A trophodynamic model of Albatross Bay, Gulf of Carpentaria: revealing a plausible fishing explanation for prawn catch declines. CSIRO Marine and Atmospheric Research Paper No. 010
3. Heymans S (2005) Ecosystem models of the western and central Aleutian Islands in 1963, 1979 and 1991. In: Guenette S, Christensen V (eds) Food web models and data for studying fisheries and environmental impacts on Eastern Pacific ecosystems. *Fish Centre Res Rep* 13(1):7–77
4. Erfan A, Pitcher T (2005) An ecosystem simulation model of the Antarctic Peninsula. In: Palomares M, Pruvost P, Pitcher T, Pauly D (eds) Modeling Antarctic marine ecosystems. *Fish Centre Res Rep* 13(7):5–20
5. Hoover C (2012) Effects of harvest and climate change on polar marine ecosystems: case studies from the Antarctic Peninsula and Hudson Bay. PhD thesis, University of British Columbia, Vancouver
6. Cornejo-Donoso J, Antezana T (2008) Preliminary trophic model of the Antarctic peninsula ecosystem (Sub-area CCAMLR 48.1). *Ecol Model* 218:1–17
7. Pruvost P, Duhamel G, Palomares MLD (2005) An ecosystem model of the Kerguelen Islands' EEZ1. In: Palomares M, Pruvost P, Pitcher T, Pauly D (eds) Modeling Antarctic marine ecosystems. *Fish Centre Res Rep* 13(7):40–64
8. Díaz López B, Bunke M, Bernal Shirai J (2008) Marine aquaculture off Sardinia Island (Italy): ecosystem effects evaluated through a trophic mass-balance model. *Ecol Model* 212:292–303
9. Vidal L, Basurto M (2003) A preliminary trophic model of Bahía de la Ascensión, Quintana Roo, Mexico [Modelo trófico preliminar de Bahía Ascensión, Quintana Roo, México]. In: Pauly D, Zeller D, Booth S, Mohammed E (eds) From Mexico to Brazil: central Atlantic fisheries catch trends and ecosystem models. *Fish Centre Res Rep* 11(6):255–264
10. Buchary EA, Alder J, Nurhakim S, Wagey T (2002) The use of ecosystem-based modelling to investigate multi-species management strategies for capture fisheries in the Bali Strait, Indonesia. In: Pitcher T, Cochrane K

- (eds) The use of ecosystem models to investigate multispecies management strategies for capture fisheries. *Fish Centre Res Rep* 10(2):24–32
11. Harvey CJ, Cox SP, Essington TE, Hansson S, Kitchell JF (2003) An ecosystem model of food web and fisheries interactions in the Baltic Sea. *ICES J Mar Sci* 60:939–950
  12. Blanchard J, Pinnegar J, Mackinson S (2002) Exploring marine mammal-fishery interactions using ‘Ecopath with Ecosim’: modelling the Barents Sea ecosystem. *Sci Ser Tech Rep No. 117*, CEFAS, Lowestoft
  13. Mustafa MG (2003) Trophic model of the coastal ecosystem in the waters of Bangladesh, Bay of Bengal. In: Silvestre G, Garces L, Stobutzki I, Ahmed M and others (eds) Assessment, management and future directions of coastal fisheries in Asian countries. *Proc WorldFish Center Conf* 67:263–280
  14. Cisneros-Montemayor A (2010) The economic benefits of ecosystem-based marine recreation: implications for management and policy. MSc thesis, University of British Columbia, Vancouver
  15. Chen ZZ, Qiu YS, Jia XP (2006) Quantitative model of trophic interactions in Beibu Gulf ecosystem in the northern South China Sea. *Acta Oceanol Sin* 25:116–124
  16. Chen Z, Qiu Y, Jia X, Xu S (2008) Using an ecosystem modeling approach to explore possible ecosystem impacts of fishing in the Beibu Gulf, northern South China Sea. *Ecosystems* 11:1318–1334
  17. Fiogbe ED (2010) Using ecosystem modeling “Ecopath with Ecosim and Ecospace (EwE version 6)” for fisheries management of Benin coastal area. In: Christensen V, Villaneuva C (eds) Report for the 2<sup>nd</sup> regional workshop on ecosystem-based fisheries management using Ecopath with Ecosim (EwE) software. Accra, Ghana, 13–17 December 2010, p 31–39
  18. Daskalov GM (2002) Overfishing drives a trophic cascade in the Black Sea. *Mar Ecol Prog Ser* 225:53–63
  19. Orek H (2000) An application of mass balance Ecopath model to the trophic structure in the Black Sea after anchovy collapse. MSc thesis, Middle East Technical University, Ankara
  20. Tong L, Tang Q, Pauly D (2000) A preliminary approach on mass-balance ecopath model of the Bohai Sea. *Yingyong Shengtai Xuebao* 11:435–440
  21. Aliño P, McManus LT, McManus JW, Nanola CL Jr, Fortes MD, Trono GC Jr, Jacinto GS (1993) Initial parameter estimations of a coral reef flat ecosystem in Bolinao, Pangasinan, Northwestern Philippines. In: Christensen V, Pauly D (eds) Trophic models of aquatic ecosystems. *ICLARM Conf Proc* 26:252–258
  22. Preikshot DB (2007) The influence of geographic scale, climate and trophic dynamics upon North Pacific oceanic ecosystem models. PhD thesis, University of British Columbia, Vancouver
  23. Silvestre G, Selvanathan S, Salleh A (1993) Preliminary trophic model of the coastal fisheries resources of Brunei Darussalam, South China Sea. Trophic models of aquatic ecosystems. *ICLARM Conf Proc* 26:300–306
  24. Vega-Cendejas M, Arreguín-Sánchez F, Hernandez M (1993) Trophic fluxes on the Campeche Bank, Mexico. In: Christensen V, Pauly D (eds) Trophic models of aquatic ecosystems. *ICLARM Conf Proc* 26:206–213
  25. Bundy A (2004) Mass balance models of the eastern Scotian Shelf before and after the cod collapse and other ecosystem changes. *Can Tech Rep No. 2520*, Fisheries and Oceans Canada, Dartmouth
  26. Bundy A, Lilly GR, Shelton PA (2000) A mass balance model of the Newfoundland-Labrador Shelf. *Can Tech Rep No. 2310*, Fisheries and Oceans Canada, St. John’s
  27. Sánchez F, Olaso I (2004) Effects of fisheries on the Cantabrian Sea shelf ecosystem. *Ecol Model* 172:151–174
  28. Stobberup K, Ramos V, Coelho M (2004) Ecopath model of the Cape Verde coastal ecosystem. In: Pauly D, Palomares M, Vakily J (eds) West African marine ecosystems: models and fisheries impacts. *Fish Centre Res Rep* 12(7):39–56
  29. Morissette L, Kaschner K, Gerber LR (2010) ‘Whales eat fish’? Demystifying the myth in the Caribbean marine ecosystem. *Fish Fish* 11:388–404
  30. Vasconcellos M, Watson R (2004) Mass balance of Atlantic oceanic systems. In: Pauly D, Palomares M (eds) West African marine ecosystems: models and fisheries impact. *Fish Centre Res Rep* 12(7):171–204
  31. Neira S, Arancibia H, Cubillos L (2004) Comparative analysis of trophic structure of commercial fishery species off Central Chile in 1992 and 1998. *Ecol Model* 172:233–248

32. Arreguin-Sanchez F, Arcos E, Chavez EA (2002) Flows of biomass and structure in an exploited benthic ecosystem in the Gulf of California, Mexico. *Ecol Model* 156:167–183
33. Kitchell JF, Essington TE, Boggs CH, Schindler DE, Walters CJ (2002) The role of sharks and longline fisheries in a pelagic ecosystem of the central Pacific. *Ecosystems* 5:202–216
34. Cox SP, Essington TE, Kitchell JF, Martell SJK, Walters CJ, Boggs DC, Kaplan I (2002) Reconstructing ecosystem dynamics in the central Pacific Ocean, 1952-1998. II. A preliminary assessment of the trophic impacts of fishing and effects on tuna dynamics. *Can J Fish Aquat Sci* 59:1736–1747
35. Christensen V, Beattie A, Buchanan C, Ma H and others (2009) Fisheries ecosystem model of the Chesapeake Bay: methodology, parameterization, and model exploration. NOAA Tech Memo NMFS-F/SPO-106, Annapolis, MD
36. Criales-Hernández MI (2006) Flujos de biomasa y estructura de un ecosistema de surgencia tropical en La Guajira, Caribe colombiano. *Rev Biol Trop* 54:1257–1282
37. Bongu M (2010) Modélisation des pêcheries marines de la République Démocratique du Congo utilisant le Modèle Ecopath à partir des données collectées dans le Navire D/V Fridjtof Nansen. In: Christensen V, Villaneuva C (eds) Report for the 2<sup>nd</sup> regional workshop on ecosystem-based fisheries management using Ecopath with Ecosim (EwE) software. Accra, Ghana, 13–17 December 2010, p 62–76
38. Alvarez-Hernández JH (2003) Trophic model of a fringing coral reef in the southern Mexican Caribbean [Modelo Trófico para un Arrecife de Coral de Tipo Borde-Barrera]. In: Pauly D, Zeller D, Booth S, Mohammed E (eds) From Mexico to Brazil: Central Atlantic fisheries catch trends and ecosystem models. *Fish Centre Res Rep* 11(6):227–235
39. Aydin K, Lapko V, Radchenko V, Livingston P (2002) A comparison of the eastern Bering and western Bering Sea shelf and slope ecosystems through the use of mass-balance food web models. NOAA Tech Memo NMFS-AFSC-130, US Department of Commerce, Springfield, VA
40. Freire KMF (2005) Fishing impacts on marine ecosystems off Brazil, with emphasis on the northeastern region. PhD thesis, University of British Columbia, Vancouver
41. Jiang H, Chen HQ, Xu HG, Arreguín-Sánchez F, Zetina-Rejón MJ, Del Monte-Luna P, Le Quesne WJF (2008) Trophic controls of jellyfish blooms and links with fisheries in the East China Sea. *Ecol Model* 212: 492–503
42. Li Y, Chen Y, Olson D, Yu N, Chen L (2009) Evaluating ecosystem structure and functioning of the East China Sea Shelf ecosystem, China. *Hydrobiologia* 636:331–351
43. Olson RJ, Watters GM (2003) A model of the pelagic ecosystem in the eastern tropical Pacific Ocean. *Bull I-ATTC* 22:135
44. Stanford R, Pitcher T (2004) Ecosystem simulations of the English Channel: climate and trade-offs. *Fish Centre Res Rep* 12(3):1–103
45. Tsehaye I, Nagelkerke LAJ (2008) Exploring optimal fishing scenarios for the multispecies artisanal fisheries of Eritrea using a trophic model. *Ecol Model* 212:319–333
46. Cheung W, Pitcher T (2005) A mass-balance model of the Falkland Islands fisheries and ecosystems. In: Palomares M, Pruvost P, Pitcher T, Pauly D (eds) Modeling Antarctic marine ecosystems. *Fish Centre Res Rep* 13(7):65–84
47. Zeller D, Freire K (2002) A preliminary north-east Atlantic marine ecosystem model: the Faroe Islands and ICES Area Vb. In: Pitcher T, Cochrane K (eds) The use of ecosystem models to investigate multispecies management strategies for capture fisheries. *Fish Centre Res Rep* 10(2):39–45
48. Zeller D, Reinert J (2004) Modelling spatial closures and fishing effort restrictions in the Faroe Islands marine ecosystem. *Ecol Model* 172:403–420
49. Walters CJ, Christensen V, Martell SJ, Kitchell JF (2005) Possible ecosystem impacts of applying MSY policies from single-species assessment. *ICES J Mar Sci* 62:558–568
50. Ainsworth C, Feriss B, Leblond E, Guénette S (2001) The Bay of Biscay, France: 1998 and 1970 models. In: Guénette S, Christensen V, Pauly D (eds) Fisheries impacts on North Atlantic ecosystems: models and analyses. *Fish Centre Res Rep* 9(4):271–313

51. Polovina JJ (1984) Model of a coral reef ecosystem. *Coral Reefs* 3:1–11
52. Ogandagas C (2010) Systeme de gestion des pecheries du Gabon par Ecopath et Ecosim. In: Christensen V, Villaneuva C (eds) Report for the 2<sup>nd</sup> regional workshop on ecosystem-based fisheries management using Ecopath with Ecosim (EwE) software. Accra, Ghana, 13–17 December 2010, p 77–85
53. Mendy A (2003) A trophic model of the Gambian continental shelf system in 1986. In: Palomares M, Pauly D (eds) Trophic models of Northwest African ecosystems: models and fisheries impacts. *Fish Centre Res Rep* 12(7):81–88
54. Mendy AN (2004) Addendum: the Gambian continental shelf ecosystem in 1992 and 1995. In: Palomares M, Pauly D (eds) West African marine ecosystems: models and fisheries impacts. *Fish Centre Res Rep* 12(7):89–94
55. Christensen V, Pauly D (1992) ECOPATH II—a software for balancing steady-state ecosystem models and calculating network characteristics. *Ecol Model* 61:169–185
56. Osei S, Ayivi S (2010) Report of GCLME workshop on EwE using Ecopath V6 for Ghana. In: Christensen V, Villaneuva C (eds) Report for the 2<sup>nd</sup> regional workshop on ecosystem-based fisheries management using Ecopath with Ecosim (EwE) software. Accra, Ghana, 13–17 December 2010, p 86–92
57. Wolff M, Hartmann H, Koch V (1996) A pilot trophic model for Golfo Dulce, a fjord-like tropical embayment, Costa Rica. *Rev Biol Trop* 44:215–231
58. Heymans J, Pitcher T (1995) A model of the marine ecosystem of Newfoundland and Southern Labrador (2J3KLNO) in the time periods 1985-1987 and 1995-1997. In: Pitcher T, Heymans J, Vasconcellos M (eds) Ecosystem models of Newfoundland for the time periods 1995, 1985, 1900 and 1450. *Fish Centre Res Rep* 10(5):5–27
59. Gribble NA (2005) Ecosystem modelling of the Great Barrier Reef: an Ecopath EWE balanced trophic biomass approach. In: Zerger A, Argent RM (eds) MODSIM 2005: International Congress on Modelling and Simulation. Modelling and Simulation Society of Australia and New Zealand, December 2005, p 170–176
60. Tudman P (2001) Modelling the trophic effects of fishing on a midshelf coral reef of the central Great Barrier Reef. BSc thesis, James Cook University, Townsville
61. Pedersen S, Zeller D (2001) A mass balance model for the West Greenland marine ecosystem. In: Guénette S, Christensen V, Pauly D (eds) Fisheries impacts on North Atlantic ecosystems: models and analyses. *Fish Centre Res Rep* 9(4):111–127
62. Mohammed E (2003) A generic marine ecosystem model for the Southeastern Caribbean in the late 1990s: application to Grenada and the Grenadines. In: Zeller D, Booth S, Mohammed E, Pauly D (eds) From Mexico to Brazil: central Atlantic fisheries catch trends and ecosystem models. *Fish Centre Res Rep* 11(6):191–225
63. Gascuel D, Guénette S, Diallo I, Sidibé A (2009) Impact de la pêche sur l'écosystème marin de Guinée: modélisation EwE 1985/2005. *Fish Centre Res Rep* 17(4):1–60
64. Guenette S, Diallo I (2004) Addendum: modeles de la cote Guineenne, 1985 et 1998. In: Palomares M, Pauly D (eds) West African marine ecosystems: models and fisheries impacts. *Fish Centre Res Rep* 12(7):124–159
65. Amorim P, Duarte G, Guerra M, Morato T, Stobberup K (2003) Preliminary Ecopath model for the Guinea-Bissau continental shelf ecosystem (NW-Africa). In: Palomares M, Pauly D (eds) West African marine ecosystems: models and fisheries impacts. *Fish Centre Res Rep* 12(7):95–112
66. Rosas-Luis R, Salinas-Zavala C, Koch V, Luna P, Morales-Zárate M (2008) Importance of jumbo squid *Dosidicus gigas* (Orbigny, 1835) in the pelagic ecosystem of the central Gulf of California. *Ecol Modell* 218:149–161
67. Okey TA, Griffiths S, Pascoe S, Kenyon R and others (2007) Effects of illegal foreign fishing on the ecosystem in the Gulf of Carpentaria: management options and downstream effects on other fisheries. Australian Fisheries Management Authority Project 2006/825 Final Report. CSIRO Marine and Atmospheric Research, Cleveland
68. Heymans JJS (2002) The Gulf of Maine, 1977-1986. In: Guénette S, Christensen V, Pitcher T, Pauly D (eds) Fisheries impacts on North Atlantic ecosystems: models and analyses. *Fish Centre Res Rep* 9(4):128–150
69. Zhang Y, Chen Y (2007) Modeling and evaluating ecosystem in 1980s and 1990s for American lobster (*Homarus americanus*) in the Gulf of Maine. *Ecol Model* 203:475–489

70. Browder J (1993) A pilot model of the Gulf of Mexico continental shelf. In: Christensen V, Pauly D (eds) Trophic models of aquatic ecosystems. ICLARM Conf Proc 26:279–284
71. Wolff M, Koch V, Chavarria J, Vargas JA (1998) A trophic flow model of the Golfo de Nicoya, Costa Rica. Rev Biol Trop 46:63–80
72. Tomczak MT, Müller-Karulis B, Järv L, Kotta J and others (2009) Analysis of trophic networks and carbon flows in south-eastern Baltic coastal ecosystems. Prog Oceanogr 81:111–131
73. Duarte LO, Garcia CB (2004) Trophic role of small pelagic fishes in a tropical upwelling ecosystem. Ecol Model 172:323–338
74. Savenkoff C, Bourdages H, Swain DP, Despatie SP and others (2004) Input data and parameter estimates for ecosystem models of the southern Gulf of St. Lawrence (mid-1980s and mid-1990s). Can Tech Rep Fish Aquat Sci No. 2529, Fisheries and Oceans Canada, Mont-Joli
75. Christensen V (1998) Fishery induced changes in a marine ecosystem: insight from models of the Gulf of Thailand. J Fish Biol 53:128–142
76. Vibunpant S, Khongchai N, Seng-eid J, Eiamsa-ard M, Supongpan M (2003) Trophic model of the coastal fisheries ecosystem in the Gulf of Thailand. In: Silvestre G, Garces L, Stobutzki I, Ahmed M, and others (eds) Assessment, management and future directions for coastal fisheries in Asian countries. Proc WorldFish Center Conf 67:365–386
77. Essington T (2006) Pelagic ecosystem response to a century of commercial fishing and whaling. In: Estes JA, DeMaster DP, Doak DF, Williams TM, Brownell RL (eds) Whales, whaling and ocean ecosystems. University of California Press, Los Angeles, CA, p 38–49
78. Mendy A, Buchary E (2001) Constructing an Icelandic marine ecosystem model for 1997 using a mass balance modeling approach. In: Guenette S, Christensen V, Pauly D (eds) Fisheries impacts on North Atlantic ecosystems: models and analyses. Fish Centre Res Rep 9(4):182–197
79. Samb B (1999) Iceland Shelf. Fisheries Management
80. Piroddi C, Bearzi G, Christensen V (2010) Effects of local fisheries and ocean productivity on the northeastern Ionian Sea ecosystem. Ecol Model 221:1526–1544
81. Piroddi C, Bearzi G, Gonzalvo J, Christensen V (2011) From common to rare: the case of the Mediterranean common dolphin. Biol Conserv 144:2490–2498
82. Lees K, Mackinson S (2007) An Ecopath model of the Irish Sea: ecosystems properties and sensitivity analysis. Sci Ser Tech Rep No. 138, CEFAS, Lowestoft
83. Lozano-Montes HM, Loneragan NR, Babcock RC, Jackson K (2011) Using trophic flows and ecosystem structure to model the effects of fishing in the Jurien Bay Marine Park, temperate Western Australia. Mar Freshw Res 62:421–431
84. Wabnitz CCC, Balazs G, Beavers S, Bjorndal KA and others (2010) Ecosystem structure and processes at Kaloko Honokohau, focusing on the role of herbivores, including the green sea turtle *Chelonia mydas*, in reef resilience. Mar Ecol Prog Ser 420:27–44
85. Liew H, Chan E (1987) ECOPATH model of a tropical shallow-water community in Malaysia. Fisheries and Marine Science Centre, Universiti Pertanian Malaysia, Kuala Terengganu
86. Lin HJ and others (2004) A trophic model for Kuosheng Bay in northern Taiwan. J Mar Sci Technol 12: 424–432
87. Arreguin-Sanchez F, Hernandez-Herrera A, Ramirez-Rodriguez M, Pérez-España H (2004) Optimal management scenarios for the artisanal fisheries in the ecosystem of La Paz Bay, Baja California Sur, Mexico. Ecol Model 172:373–382
88. Diaz-Uribe JG, Arreguin-Sanchez F, Cisneros-Mata MA (2007) Multispecies perspective for small-scale fisheries management: a trophic analysis of La Paz Bay in the Gulf of California, Mexico. Ecol Model 201:205–222
89. Mohammed E, Vasconcellos M, Mackinson S, Fanning P, Heileman S, Carocci F (2008) Scientific basis for ecosystem-based management in the Lesser Antilles including interactions with marine mammals and other top

- predators: a trophic model of the Lesser Antilles pelagic ecosystem. Lesser Antilles Pelagic Ecosystem Project No. GCP/RLA/140/JPN. FAO/Government Cooperative Programme Tech Doc No. 2, Barbados
90. Kay D (2010) Liberia report on Ecopath modeling. In: Christensen V, Villaneuva C (eds) Report for the 2nd regional workshop on ecosystem-based fisheries management using Ecopath with Ecosim (EwE) software. Accra, Ghana, 13–17 December 2010, p 105–117
  91. Guarin F (1991) A model of the trophic structure of the soft bottom community in Lingayen Gulf, Philippines: an application of the Ecopath II software and modelling approach. PhD thesis, University of the Philippines, Quezon City
  92. Christensen V, Walters CJ, Ahrens R, Alder J and others (2009) Database-driven models of the world's Large Marine Ecosystems. *Ecol Model* 220:1984–1996
  93. Man A (2003) Trophic model of the coastal fisheries ecosystem of the west coast of peninsular Malaysia. In: Silvestre G, Garces L, Stobutzki I, Ahmed M and others (eds) Assessment, management and future directions of coastal fisheries in Asian countries. *Proc WorldFish Center Conf* 67:313–332
  94. Sidi MT, Diop M (2004) Modèle écotrophique du Banc d'Arguin (Mauritanie) dans la période 1988 à 1998. In: Palomares M, Pauly D (eds) West African marine ecosystems: models and fisheries impacts. *Fish Centre Res Rep* 12(7):4–11
  95. Sidi M, Guénette S (2004) Modèle trophique de la ZEE mauritanienne: comparaison de deux périodes (1987 et 1998). In: Palomares M, Pauly D (eds) West African marine ecosystems: models and fisheries impacts. *Fish Centre Res Rep* 12(7):12–38
  96. Libralato S, Coll M, Tempesta M, Santojanni A and others (2010) Food-web traits of protected and exploited areas of the Adriatic Sea. *Biol Conserv* 143:2182–2194
  97. Arias-González J, Delesalle B, Salvat B, Galzin R (1997) Trophic functioning of the Tiahura reef sector, Moorea Island, French Polynesia. *Coral Reefs* 16:231–246
  98. Stanford R, Lunn K, Guenette S (2001) A preliminary ecosystem model for the Atlantic coast of Morocco in the mid-1980s. In: Guénette S, Christensen V, Pauly D (eds) Fisheries impacts on North Atlantic Ecosystems: models and analyses. *Fish Centre Res Rep* 9(4):314–344
  99. Liu PJ, Shao KT, Jan RQ, Fan TY and others (2009) A trophic model of fringing coral reefs in Nanwan Bay, southern Taiwan suggests overfishing. *Mar Environ Res* 68:106–117
  100. Williams A, Abioye A (2010) Reports on Ecopath modeling for Nigeria. In: Christensen V, Villaneuva C (eds) Report for the 2<sup>nd</sup> regional workshop on ecosystem-based fisheries management using Ecopath with Ecosim (EwE) software. Accra, Ghana, 13–17 December 2010, p 118–125
  101. Fulton EA, Jones T, Boschetti F, Sporcic M and others (2011) A multi-model approach to stakeholder engagement in complex environmental problems. In: Chan F, Marinova D, Anderssen RS (eds) MODSIM2011: 19<sup>th</sup> International Congress on Modelling and Simulation, Perth, Australia, 12–16 December 2011, p 3098–3104
  102. Morales-Zárate M, Arreguín-Sánchez F, López-Martínez J, Lluch-Cota S (2004) Ecosystem trophic structure and energy flux in the Northern Gulf of California, México. *Ecol Model* 174:331–345
  103. Nurhakim S (2003) Marine fisheries resources of the north coast of central Java, Indonesia: an ecosystem analysis. In: Silvestre G, Garces L, Stobutzki I, Ahmed M and others (eds) Assessment, management and future directions for coastal fisheries in Asian countries. *Proc WorldFish Center Conf* 67:299–312
  104. Mackinson S (2001) Representing trophic interactions in the North Sea in the 1880s, using the Ecopath mass-balance approach. In: Guenette S, Christensen V, Pauly D (eds) Fisheries impacts on North Atlantic ecosystems: models and analyses. *Fish Centre Res Rep* 9(4):35–98
  105. Christensen V, Beyer J, Gislason H, Vinter M (2002) A comparative analysis of the North Sea based on Ecopath with Ecosim and Multispecies Virtual Population Analysis. In: Christensen V, Reck G, Maclean J (eds) Proceedings of the INCO-DC Conference Placing Fisheries in their Ecosystem Context, 4–8 December 2002, Galápagos Islands. ACP-EU Fisheries Research Report No. 12, Brussels
  106. Christensen V (1995) A model of trophic interactions in the North Sea in 1981, the year of the stomach. *Dana* 11:1–28

107. Mackinson S, Daskalov G (2007) An ecosystem model of the North Sea to support an ecosystem approach to fisheries management: description and parameterisation. *Sci Ser Tech Rep No. 142*, CEFAS, Lowestoft
108. Morissette L, Kaschner K, Gerber LR (2010) Ecosystem models clarify the trophic role of whales off Northwest Africa. *Mar Ecol Prog Ser 404*:289–302
109. Bulman C (2006) Trophic webs and modelling of Australia's North West Shelf. CSIRO Marine and Atmospheric Research Report No. 9
110. Coll M, Santojanni A, Palomera I, Arneri E (2009) Food-web changes in the Adriatic Sea over the last three decades. *Mar Ecol Prog Ser 381*:17–37
111. Coll M, Santojanni A, Palomera I, Tudela S, Arneri E (2007) An ecological model of the northern and central Adriatic Sea: analysis of ecosystem structure and fishing impacts. *J Mar Syst 67*:119–154
112. Watermeyer K, Shannon L, Roux J, Griffiths C (2008) Changes in the trophic structure of the northern Benguela before and after the onset of industrial fishing. *Afr J Mar Sci 30*:383–403
113. Heymans JJ, Sumaila UR, Christensen V (2009) Policy options for the northern Benguela ecosystem using a multispecies, multifleet ecosystem model. *Prog Oceanogr 83*:417–425
114. Ainsworth C, Pitcher T, Heymans J, Vasconcellos M (2008) Reconstructing historical marine ecosystems using food web models: northern British Columbia from pre-European contact to present. *Ecol Model 216*:354–368
115. Lercari D, Arreguín Sánchez F (2009) An ecosystem modelling approach to deriving viable harvest strategies for multispecies management of the northern Gulf of California. *Aquat Conserv 19*:384–397
116. Morissette L, Despatie SP, Savenkoff C, Hammill MO, Bourdages H, Chabot D (2003) Data gathering and input parameters to construct ecosystem models for the northern Gulf of St. Lawrence (mid-1980s). *Can Tech Rep Fish Aquat Sci No. 2497*, Fisheries and Oceans Canada, Mont-Joli
117. Tam J, Taylor MH, Blaskovic V, Esponzoza P and others (2008) Trophic modeling of the northern Humboldt Current Ecosystem, Part I: Comparing trophic linkages under La Niña and El Niño conditions. *Prog Oceanogr 79*:352–365
118. Cheung WWL, Lam VWY, Sarmiento JL, Kearney K, Watson R, Zeller D, Pauly D (2010) Large-scale redistribution of maximum fisheries catch potential in the global ocean under climate change. *Glob Change Biol 16*:24–35
119. Dommasnes A, Christensen V, Ellertsen B, Kvamme C and others (2001) An Ecopath model for the Norwegian Sea and Barents Sea. In: *Fisheries impacts on North Atlantic ecosystems: models and analyses*. Fish Centre Res Rep 9(4):213–240
120. Ruzicka JJ, Brodeur RD, Wainwright TC (2007) Seasonal food web models for the Oregon inner-shelf ecosystem: investigating the role of large jellyfish. *CalCOFI Rep 48*:106–128
121. Jarre A, Muck P, Pauly D (1991) Two approaches for modelling fish stock interactions in the Peruvian upwelling ecosystem. In: Daanand N, Sissenwine M (eds) *Multispecies models relevant to the management of living resources*. ICES Mar Sci Symp 193:178–184
122. Guénette S, Christensen V, Pauly D (2008) Trophic modelling of the Peruvian upwelling ecosystem: towards reconciliation of multiple datasets. *Prog Oceanogr 79*:326–335
123. Bundy A, Pauly D (2001) Selective harvesting by small-scale fisheries: ecosystem analysis of San Miguel Bay, Philippines. *Fish Res 53*:263–281
124. Fulton E, Smith A (2004) Lessons learnt from a comparison of three ecosystem models for Port Phillip Bay, Australia. *Afr J Mar Sci 26*:219–243
125. Guénette S, Morato T (2001) The Azores Archipelago, 1997. In: Guenette S, Christensen V, Pauly D (eds) *Fisheries impacts on North Atlantic ecosystems: models and analyses*. Fish Centre Res Rep 9(4):241–270
126. Campos W (2003) An ecosystem model of San Pedro Bay, Leyte, Philippines: initial parameter estimates. In: Silvestre G, Garces L, Stobutzki I, Ahmed M and others (eds) *Assessment, management and future directions for coastal fisheries in Asian countries*. Proc WorldFish Center Conf 67:353–364
127. Rocha G, Rossi-Wongtschowski C (2007) Trophic models of São Sebastião Channel and continental shelf systems, SE Brazil. *Pan-American J Aquat Sci 2*:149–162

128. Castro A (2010) Systeme de gestion des pecheries du Sao Tome et Principe par Ecopath et Ecosim. In: Christensen V, Villaneuva C (eds) Report for the 2<sup>nd</sup> regional workshop on ecosystem-based fisheries management using Ecopath with Ecosim (EwE) software Accra, Ghana, 13–17 December 2010, p 126–132
129. Samb B, Mendy A (2004) Dynamique du réseau trophique de l'écosystème sénégalais en 1990. In: Palomares M, Pauly D (eds) Trophic models of Northwest African ecosystems: models and fisheries impacts. Fish Centre Res Rep 12(7):57–70
130. Kargbo V (2010) Report on Ecopath models for Sierra Leone. In: Christensen V, Villaneuva C (eds) Report for the 2<sup>nd</sup> regional workshop on ecosystem-based fisheries management using Ecopath with Ecosim (EwE) software. Accra, Ghana, 13–17 December 2010, p 133–140
131. Heymans SJ, Vakily JM (2002) Ecosystem structure and dynamics of the marine system of Sierra Leone for three time periods: 1964, 1978 and 1990. In: Palomares M, Pauly D (eds) West African marine ecosystems: models and fisheries impacts. Fish Centre Res Rep 12(7):160–169
132. Manickchand-Heileman S, Soto L, Escobar E (1998) A preliminary trophic model of the continental shelf, south-western Gulf of Mexico. Estuar Coast Shelf Sci 46:885–899
133. Falk-Petersen J (2004) Ecosystem effects of red king crab invasion: a modelling approach using Ecopath with Ecosim. MSc thesis, University of Tromsø
134. Okey T, Pugliese R (2001) A preliminary Ecopath model of the Atlantic continental shelf adjacent to the southeastern United States. In: Guenette S, Christensen V, Pauly D (eds) Fisheries impacts on North Atlantic ecosystems: models and analyses. Fish Centre Res Rep 9(4):167–181
135. Velasco G, Araújo J, Castello J, Oddone M (2007) Exploring MSY strategies for elasmobranch fishes in an ecosystem perspective. Pan-American J Aquat Sci 2:163–178
136. Coll M, Palomera I, Tudela S, Dowd M (2008) Food-web dynamics in the South Catalan Sea ecosystem (NW Mediterranean) for 1978–2003. Ecol Model 217:95–116
137. Coll M, Palomera I, Tudela S, Sard F (2006) Trophic flows, ecosystem structure and fishing impacts in the South Catalan Sea, Northwestern Mediterranean. J Mar Syst 59:63–96
138. Pauly D, Christensen V (1993) Stratified models of large marine ecosystems: a general approach and an application to the South China Sea. In: Sherman K, Alexander L, Gold B (eds) Large marine ecosystems: stress, mitigation, and sustainability. AAAS Press, Washington, DC, p 148–174
139. Guénette S, Heymans S, Christensen V, Trites A (2006) Ecosystem models show combined effects of fishing, predation, competition, and ocean productivity on Steller sea lions (*Eumetopias jubatus*) in Alaska. Can J Fish Aquat Sci 63:2495–2517
140. Bulman C, Condie S, Furlani D, Cahill M, Klaier N, Goldsworthy S, Knuckey I (2006) Trophic dynamics of the eastern shelf and slope of the south east fishery: impacts of and on the fishery. Final Report for Fisheries Research & Development Corporation, Project No. 2002/028, CSIRO Marine and Atmospheric Research
141. Christensen V, Garces LR, Silvestre GT, Pauly D (2003) Fisheries impact on the South China Sea large marine ecosystem: a preliminary analysis using spatially-explicit methodology. In: Silvestre G, Garces L, Stobutzki I, Ahmed M and others (eds) Assessment, management and future directions for coastal fisheries in Asian countries. Proc WorldFish Center Conf 67:51–62
142. Pauly D (1996) Southern BC shelf model. In: Pauly D, Christensen V, Haggan N (eds) Mass-Balance models of north-eastern Pacific ecosystems. Fish Centre Res Rep 4(1):37–62
143. Watermeyer K, Shannon L, Griffiths C (2008) Changes in the trophic structure of the southern Benguela before and after the onset of industrial fishing. Afr J Mar Sci 30:351–382
144. Shannon L, Christensen V, Walters C (2004) Modelling stock dynamics in the southern Benguela ecosystem for the period 1978–2002. Afr J Mar Sci 26:179–196
145. Vasconcellos M, Gasalla MA (2001) Fisheries catches and the carrying capacity of marine ecosystems in southern Brazil. Fish Res 50:279–295
146. Albouy C, Mouillot D, Rocklin D, Culioli JM, Le Loc'h F (2010) Simulation of the combined effects of artisanal and recreational fisheries on a Mediterranean MPA ecosystem using a trophic model. Mar Ecol Prog Ser 412:207–221

147. Vivekanandan E, Srinath M, Pillai V, Immanuel S, Kurup K (2003) Trophic model of the coastal fisheries ecosystem of the southwest coast of India. In: Silvestre G, Garces L, Stobutzki I, Ahmed M and others (eds) Assessment, management and future directions for coastal fisheries in Asian countries. Proc WorldFish Center Conf 67:281–298
148. Haputhantri S, Villanueva M, Moreau J (2008) Trophic interactions in the coastal ecosystem of Sri Lanka: an ECOPATH preliminary approach. *Estuar Coast Shelf Sci* 76:304–318
149. Martell SJ, Beattie A, Walters C, Nayar T, Briese R (2002) Simulating fisheries management strategies in the Strait of Georgia ecosystem using Ecopath and Ecosim. In: Pitcher T, Cochrane K (eds) The use of ecosystem models to investigate multispecies management strategies for capture fisheries. *Fish Centre Res Rep* 10(2):16–24
150. Bradford-Grieve JM, Probert KP, Nodder SD, Thompson D and others (2003) Pilot trophic model for subantarctic water over the Southern Plateau, New Zealand: a low biomass, high transfer efficiency system. *J Exp Mar Biol Ecol* 289:223–262
151. Lin HJ, Shao KT, Hsieh HL, Lo WT, Dai XX (2009) The effects of system-scale removal of oyster-culture racks from Tapong Bay, southwestern Taiwan: model exploration and comparison with field observations. *ICES J Mar Sci* 66:797–810
152. Pinkerton M, Lundquist C, Duffy C, Freeman D (2008) Trophic modelling of a New Zealand rocky reef ecosystem using simultaneous adjustment of diet, biomass and energetic parameters. *J Exp Mar Biol Ecol* 367:189–203
153. Sedzro K (2010) Gestion des pêcheries togolaises par les modèles EwE. In: Christensen V, Villanueva C (eds) Report for the 2<sup>nd</sup> regional workshop on ecosystem-based fisheries management using Ecopath with Ecosim (EwE) software. Accra, Ghana, 13–17 December 2010, p 141–151
154. Wolff M (1994) A trophic model for Tongoy Bay—a system exposed to suspended scallop culture (Northern Chile). *J Exp Mar Biol Ecol* 182:149–168
155. Okey TA, Wright BA (2004) Toward ecosystem-based extraction policies for Prince William Sound, Alaska: integrating conflicting objectives and rebuilding pinnipeds. *Bull Mar Sci* 74:727–747
156. Dalsgaard J, Pauly D (1997) Preliminary mass-balance model of Prince William Sound, Alaska, for the pre-spill period, 1980–1989. *Fish Centre Res Rep* 5(2):1–34
157. Okey T (2001) A ‘straw-man’ Ecopath model of the Middle Atlantic Bight continental shelf, United States. In: Guénette S, Christensen V, Pauly D (eds) Fisheries impacts on North Atlantic ecosystems: models and analyses. *Fish Centre Res Rep* 9(4):151–166
158. Okey T, Mahmoudi B (2002) An ecosystem model of the West Florida Shelf for use in fisheries management and ecological research, Vol 2. Model construction. Florida Fish and Wildlife Research Institute, St. Petersburg, FL
159. Bozec YM, Gascuel D, Kulbicki M (2004) Trophic model of lagoonal communities in a large open atoll (Uvea, Loyalty islands, New Caledonia). *Aquat Living Resour* 17:151–162
160. Mendoza J (1993) A preliminary biomass budget for the northeastern Venezuela shelf ecosystem. In: Christensen V, Pauly D (eds) Trophic models of aquatic ecosystems. *ICLARM Conf Proc* 26:285–297
161. Garces LR, Man A, Ahmad A Mohamad-Norizam M, Silvestre GT (2003) A trophic model of the coastal fisheries ecosystem off the west coast of Sabah and Sarawak, Malaysia. In: Silvestre G, Garces L, Stobutzki I, Ahmed M and others (eds) Assessment, management and future directions for coastal fisheries in Asian countries. Proc WorldFish Center Conf 67:333–352
162. Heymans JJ and others (2011) Do we have enough information to apply the ecosystem approach to management of deep-sea fisheries? An example from the west of Scotland. *ICES J Mar Sci* 68:265–280
163. Martell SJ (2002) Variation in pink shrimp populations off the west coast of Vancouver Island: oceanographic and trophic interactions. PhD thesis, University of British Columbia, Vancouver
164. Arreguín-Sánchez F, Valero-Pacheco E, Chávez E (1993) A trophic box model of the coastal fish communities of the southwestern Gulf of Mexico. In: Christensen V, Pauly D (eds) Trophic models of aquatic ecosystems. *ICLARM Conf Proc* 26:197–205

165. Araújo J, Mackinson S, Ellis J, Hart P (2005) An Ecopath model of the western English Channel ecosystem with an exploration of its dynamic properties. Sci Ser Tech Rep No. 125, CEFAS, Lowestoft
166. Godinot O, Allain V (2003) A preliminary Ecopath model of the warm pool pelagic ecosystem. Oceanic Fisheries Programme, Secretariat of the Pacific Community Noumea, New Caledonia